Amendment dated September 8, 2004

Reply to Advisory Action dated August 20, 2004

## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

## **Listing of Claims:**

1. (Currently Amended) A reflective-type liquid crystal display device, comprising:

first and second substrates;

a reflective electrode over the first substrate, wherein the reflective electrode comprises

an opaque metal;

a liquid crystal layer disposed interjacent the first and second substrates;

two uniaxial optical compensation films of a same type over the second substrate[[;]],

wherein an ordinary refractive index of each of the two uniaxial optical compensation films is

the same; and

a first alignment layer over the first substrate.

Claims 2 and 3 (Canceled).

4. (Previously Presented) The device of claim 1, wherein said two uniaxial optical

compensation films are positive-type.

Claims 5-13 (Canceled).

Amendment dated September 8, 2004

Reply to Advisory Action dated August 20, 2004

14. (Currently Amended) A method of manufacturing a reflective-type liquid crystal display device, comprising:

providing first and second substrates;

forming a reflective electrode over the first substrate, wherein the reflective electrode comprises an opaque metal;

providing a liquid crystal layer disposed interjacent the first and second substrates; providing two uniaxial optical compensation films of a same type over the second substrate[[;]], wherein an ordinary refractive index of each of the two uniaxial optical compensation films is the same; and

forming a first alignment layer over the first substrate.

Claim 15 (Canceled).

16. (Previously Presented) The method of claim 14, wherein said two uniaxial optical compensation films are positive-type.

Claims 17-19 (Canceled).

20. (Previously Presented) The method of claim 14, wherein said forming a first alignment layer includes exposing said first alignment layer to ultraviolet light to form a plurality of alignment directions.

Amendment dated September 8, 2004

Reply to Advisory Action dated August 20, 2004

21. (Previously Presented) The method of claim 14, wherein said forming a first alignment

layer includes rubbing a surface of said first alignment layer to form a plurality of first alignment

directions.

Claims 22-39 (Canceled).

40. (Currently Amended) A reflective-type liquid crystal display device, comprising:

first and second substrates;

a reflective electrode over the first substrate;

a liquid crystal layer disposed interjacent the first and second substrates;

two uniaxial optical compensation films of a same type and shape over the second

substrate[[;]], wherein an ordinary refractive index of each of the two uniaxial optical

compensation films is the same; and

a first alignment layer over the first substrate.

41. (Previously Presented) The device of claim 40, wherein said two uniaxial optical

compensation films are positive-type.

42. (Currently Amended) A method of manufacturing a reflective-type liquid crystal display

device, comprising:

providing first and second substrates;

forming a reflective electrode over the first substrate;

providing a liquid crystal layer disposed interjacent the first and second substrates;

Amendment dated September 8, 2004

Reply to Advisory Action dated August 20, 2004

providing two uniaxial optical compensation films of a same type and shape over the second substrate[[;]], wherein an ordinary refractive index of each of the two uniaxial optical

forming a first alignment layer over the first substrate.

43. (Previously Presented) The method of claim 42, wherein said two uniaxial optical

compensation films are positive-type.

compensation films is the same; and

44. (Previously Presented) The method of claim 42, wherein said forming a first alignment

layer includes exposing said first alignment layer to ultraviolet light to form a plurality of

alignment directions.

45. (Previously Presented) The method of claim 42, wherein said forming a first alignment

layer includes rubbing a surface of said first alignment layer to form a plurality of first alignment

directions.

Page 5 of 7

DC:50291718.1